

**BHARATHIAR UNIVERSITY : COIMBATORE 641 046**

**Ref. No. BU/DPE/Sports –RUSA/2017-7**

**Date: 08.11.2017**

**RETENDER NOTICE**

Sealed Tenders are invited by the Registrar, Bharathiar University, Coimbatore 641 046 up to 3.00 P.M on 22.11.2017 from the ISO Certified firms for the supply of the **Volleyball court protective enclosure with FLT accessories for the Department of Physical Education.**

Tender documents with schedule can be downloaded from our website: [www.b-u.ac.in](http://www.b-u.ac.in) from **08.11.2017 to 22.11.2017**. Tenders should be submitted along with the **tender cost of Rs. 1575/- and EMD Rs. 18,993/-** in the form of DD drawn in favor of the Registrar, Bharathiar University payable at Coimbatore.

**REGISTRAR i/c  
BHARATHIAR UNIVERSITY**

**TENDER CONDITIONS AND INSTRUCTIONS FOR THE SUPPLY OF  
VOLLEYBALL COURT PROTECTIVE ENCLOSURE WITH FLT ACCESSORIES  
FOR THE DEPARTMENT OF PHYSICAL EDUCATION**

1. Sealed Tenders will be received by the Registrar, Bharathiar University, up to 3.00 p.m. on **22.11.2017 for the supply of Volleyball court protective enclosure with FLT accessories to the Department of Physical Education** of this University as specified in the schedule.
2. Tender should be addressed to the Registrar, Bharathiar University and should be only in sealed covers by Registered post/or in person. Tenders received in ordinary covers without seal will not be considered.
3. The tender cover with Ref.No. should be superscribed as “Tender for the supply of **Volleyball court protective enclosure with FLT accessories to the Dept. of Physical Education, Bharathiar University due on 22.11.2017.** The covers received without such superscription will be rejected summarily.
4. The tenders will be opened by the Registrar in the Registrar’s Chamber at 4.00 p.m. on **22.11.2017** in the presence of the tenderers who are present.
5. Each tender shall be accompanied with the requisite Tender Cost of **Rs.1,575/- and EMD of Rs. 18,993/-** in the form of DD drawn in one of the Nationalized Banks in the name of “Registrar, Bharathiar University” payable at Coimbatore. Cheques and Bank Guarantees will not be accepted. EMD will not carry any interest.
  - i. If the tender submitted without the earnest money deposit be summarily rejected provided that any category of tenderers specifically exempted by the Government from the payment of earnest money deposit /tender cost necessary certificate should be enclosed for exemption otherwise it will be liable for rejection.
6. Tenders received late will be returned to the tenderer unopened.
7. The tender should contain particulars like the name and addresses of the Tenderers,
8. **Price:**
  - a) Tenderers shall quote the price including GST, packing, delivery and installation charges.
  - b) The rates will be kept firm for maximum period of 180 days from the date of the opening of the Tenders in acceptance.
  - c) The rate should be quoted for each item with specification and model if applicable and should be indicated clearly both in words and figures. Any scoring or overwriting should be attested by the tenderers with full signature. The rate quoted should be firm and should not be subject to any variation clauses.
  - d) Tenderer shall quote the price inclusive of warranty. Separate charges for warranty will not be considered at any cost.
  - e) Should mention the valid GST Registration Numbers along with the copy of the registration Certificate.
  - f) University shall not pay increase in duties, taxes and surcharges on account of any revision by the Government at the time of supply and installation.
  - g) Tenders should be as per the specifications mentioned in the Schedule. Option shall be given separately.

9. Tenders will be opened on **22.11.2017 at 4.00pm** by the Registrar or her nominee in the presence of Tenderers or their representatives who may be present at the time of opening. The representatives of the tendering firms who are attending during opening of the tenders should bring a letter of authorization from the tendering firms, which they represent to identify their bonafied.
10. The tender shall be valid for a maximum period of 180 days if necessary from the date of opening. Tenderer should not withdraw his tender after the tenders are opened. In case the tender is withdrawn after it opened, the EMD remitted will be forfeited.
11. The EMD of the unsuccessful tenders will be refunded immediately after the tenders are disposed of by the competent authority.
12. Successful tender shall execute an agreement for the fulfillment of contract in the stamp paper in the model form. The conditions stipulated in the form should be strictly adhered to and violation of any of the conditions will entail termination of the contract without prejudice to be right of the University and to recover any consequential loss from the successful tender.
13. Successful tender shall remit a **Security deposit 5.5%** to the order value. Security Deposit will be refunded at the end of warranty period subject to the satisfaction of the University. The EMD may be adjusted towards Security deposit payable.
14. If the Successful tender failed to act up to the tender or backs out when his tender accepted, security deposit will also be forfeited to department.
15. The material should be supplied strictly in accordance with the specifications given in the Schedule and should fulfill the successful tests carried out by the Competent Authority of the University. The supply and installation should be made as per the delivery schedule to be sent by the Registrar. The warranty period shall take effect from the date of trial run. Successful tender shall be liable to change any defective part during the warranty period. In either case the damaged or defective items will have to be taken back at supplier's cost and risk.
16. For imported, the Payment will be made by means of irrevocable Letter of Credit / FDD in favor of the Principal Supplier after receipt of Security deposit and agreement. Advance wire transfer is not applicable. Payment through Wire transfer is acceptable after supply only.
17. For indigenous equipments the payment will be made only after supply and installation of the equipment if necessary the documents will be provided along with the supply order.
18. The commissioning and installation should be completed within the stipulated period mentioned in the supply order. If the supply is not made within the period, the supply order will be cancelled and the EMD & Security deposit will be forfeited.
19. The materials are to be guaranteed for at least one year date of installation and commissioning against manufacturing defect and bad workmanship. The warranty period specified will commence from the date of installation.

20. The materials quoted shall confirm to ISI standard with the number shall be incorporated wherever possible. The make of the materials shall be mentioned in the tender.
21. Any dispute arising out of this contract shall be settled only at the court having jurisdiction of Coimbatore.
22. The authority competent to accept the tender reserves the right to reject or accept any tender without assigning any reasons thereof.
23. Regarding the acceptance of supply with reference to the specification and quality of materials supplied, the decision of Registrar shall be final.
24. Additional Documents are required for evaluation in addition to price :
  - ISO Certificate
  - Authorization letter obtained from the manufacturer
  - Company profile
  - Number of years standing in the business.
  - Average turnover in the last two years.
  - Backup facility for the warranty period.
  - GST Number, whenever required.
  - Any other relevant details like customers service report and supply orders in support of the item specified.
25. Incomplete Tenders: Tenders without the complete particulars for evaluation will not be considered.
26. Tenders will be considered from the manufacturer/ authorized distributors.
27. The University's general rules for the supply of the materials and works will apply on this purchase also.
28. The University is registered with DSIR, it is eligible for exemption of Central Excise duty as per Government Notification No.10/97 Central Excise Dt: 1.3.1997. It is also eligible for customs duty exemption as per the Govt.Notification No.51/96 Customs dt.23.07.1996.
29. Necessary documents for customs clearance will be provided by the University within 3 working days after receipt of Cargo arrival/shipment notice and invoice from the supplier. Hence no demurrage will be paid by the University for Clearance Delay.
30. The Customs clearance charges, transportation up to the University have to be borne by the firm account. Installation and training charges if any are to be borne by the firm.
31. No communications from any tender adding to/adhering or explaining any terms of the tender will be considered prior to the submission or after opening of the tenders by the competent authority.

32. In case of any modifications in specifications/terms and conditions/ any clarifications to the bid document it will be hosted in our website only and bidders are requested to log on to our website from time to time regularly for any amendment and no separate corrigendum will be issued in this regard.
33. The tender should be submitted subject to and agreeing the above conditions duly attested and certified.

**TO BE FILLED IN BY THE TENDERER:**

<b>S.No.</b>	<b>Tender Cost – Rs.1,575/- B.U.Challan No/DD No./Date</b>	<b>EMD Details Rs. 17,669/- DD No/Banker's Cheque No/ Date</b>

**SIGNATURE OF THE TENDERER**

## SCHEDULE

### Providing protective enclosures with Flight light and Volleyball post

Sl. No.	Description of work	Unit in figures and words	Amount
1	<p>Name of work: supplying, fabricating and fixing in position of diamond shape PVC coated GI chain link fencing for 3m height from ground level with necessary support and foundation arrangements up to 360 RM length to Volleyball ground in Bharathiar university at coimbatore</p> <p><u>Sub-Structure:</u></p> <p>The Earth work excavation carried as 0.45mx0.45mx0.75m from natural ground level for foundation of the post. The fencing post should be embedded in concrete pedestal of size 0.45m x 0.45m x 0.60m use 1:3:6(One Cement, Three sand and six aggregate) ratio for pedestal concrete including centering and shuttering. This pedestal should be laid in over the concrete bed of size 0.45m x 0.45m x 0.15m use concrete ratio of 1:5:10(One Cement, Five sand and Ten aggregate), including curing, earth refilling and consolidation etc., complete complying with standard specification.</p> <p><u>Super-Structure:</u></p> <p>Brick work in cement mortar 1:6 for 30cm height kerb wall laid over the PCC flooring of 1:5:10(One Cement, Five sand and Ten aggregate).Kerb wall should be finishing with plastering in cement mortar 1:5, 12mm thick. The 50mm dia and 3.60mm thick fencing vertical MS post should be fixed in every 3m interval with proper alignment and levels, using 50mm dia and 3.60mm thick MS pipe used for top stiffener and 25mm dia and 3.20mm thick MS pipe used for mid stiffener. Good quality diamond shape 50mm x 50mm x 10 gauge GI PVC coated chain link should be using for fencing mesh. Finishing the kerb wall in two coat of Plastic emulsion paint with one coat of primer and two coat of enamel paint for post and stiffener. This cost is including of necessary door arrangements. The all materials shall be got approved by the department before use of work).complete complying with standard specification.</p>		
	<p>6 pairs      Volleyball post – adjustable as per specification of volleyball federation of India</p> <p>6 pairs of post including fitting and concrete</p>		
2.	<p>6 Nos. (six numbers)      Supply and fixing of G.I Pipe made of 3 sizes for 4.5 meters of 75 mm dia (1 mtr below ground level), 3.5 mtr of 65 mm dia and 2 mtr of 50 mm dia (class 'B'), GI pipe suitable M.S. angle iron frame work for fixing of fitting at the top of the Post. The three sizes of pipes should be fixed with reducers and those portions duly welded and smoothly finished. M.S. base plate of size 300 x 300 x 6 mm should be provided at the bottom of 75 mm dia of G.I pipe in ground with concreting and construction of masonry pedestal with suitable control box with lock and key arrangements. Including supply and fixing 2 Nos of 200 watts LED flood light fitting with PVC unsheathed leads from control box to fitting and painting of suitable colour.</p> <p>Make: Crompton/ Havells.</p>	1 No. (One Number)	

3.	3 Nos. (Nine Numbers).	Supply and fixing of G.I Pipe made of 3 sizes for 4.5 meters of 75 mm dia (1 mtr below ground level), 3.5 mtr of 65 mm dia and 2 mtr of 50 mm dia (class 'B'), GI pipe suitable MS angle iron frame work for fixing of fitting at the top of the Post. The three sizes of pipes should be fixed with reducers and those portions duly welded and smoothly finished. M.S. base plate of size 300 x 300 x 6 mm should be provided at the bottom of 75 mm dia of G.I pipe in ground with concreting and construction of masonry pedestal with suitable control box with lock and key arrangements. Including supply and fixing 4 Nos of 200 watts LED flood light fitting with PVC unsheathed leads from control box to fitting and painting of suitable colour. Make: Crompton/ Havells.	1 No. (One Number)	
4.	130Mts. (One hundred and thirty meters).	Supply and laying of 3 ½ x 35sq.mm PVC armoured LTUG cable in a trench to be excavated at a depth of 0.75 metre putting 0.15 mt. Layer of sand and covering the cable completely with bricks and sand and refilling the earth to make good.	1 mtr. (One meter)	
5.	20 Mts. (Twenty meters).	Supply and clamping of 3 ½ x 35 sq.mm PVC armoured LTUG cable on post or on wall with MS Clamps.	1 mtr. (One meter)	
6.	2 Nos. (Two Numbers)	Supply and fixing of brass cable gland for 3 ½ x 35 sq.mm PVC armoured LTUG cable with earth connection.	1 No. (One Number)	
7.	2 Nos. (Two Numbers).	Supply and providing cable end termination of 3 ½ x 35 sq.mm PVC armoured LTUG Aluminium cable with necessary aluminium cable sockets by crimping etc. with electrical connection complete.	1 No. (One Number)	
8.	170 Mts. (One hundred and seventy meters).	Supply and laying of 4 x 10 sq.mm PVC armoured LTUG cable in a trench to be excavated at a depth of 0.75 metre putting 0.15 mt. Layer of sand and covering the cable completely with bricks and sand and refilling the earth to make good.(SD 202)	1 mtr. (One meter)	
9.	80 Mts. (Eighty meters).	Supply and clamping of 4x 10 sq.mm PVC armoured LTUG cable on post or on wall with MS Clamps.	1 mtr. (One meter)	
10.	25 Nos. (Twenty five Numbers)	Supply and frxing of brass cable gland for 4 x 10 sqmm PVC armoured LTUG cable with earth connection.	1 No. (One Number)	
11.	1 No. (one Number).	Supply and fixing of M.S box of size 1 Mtr x 1 Mtr in sheet steel enclosure with powder coating painting, angle iron frame and Supply and fixing of vertical type 8 way triple pole and neutral MCB distribution board in sheet steel enclosure with double door, bus bar neutral link, earth link etc., with 1 No. of 100A FP MCB isolator as incoming and 8 Nos. 32A TP MCB as outgoing with earth and inter connections inside above M.S box. The pillar box is fixing with necessary concreting and masonry work properly etc.,	1 No. (One Number)	
12.	20 Nos. (Twenty Numbers)	Supply and fixing of LT route indicator with ¾' x ¾' x ½' concrete cube, earth work excavated at a depth of 0.30 mts.	1 No. (One Number)	

\*Rate may be quoted protective enclosure, volleyball post and flood light

**\*\* Break up Tender will not be accepted**

**SIGNATURE OF THE TENDERER**